



# Wash That Baby!

Info@washthatbaby.com

www.WashThatBaby.com

Phone (972)408-8608 • PO Box 586 • McCamey TX 79752

Phone (876)468-9150 • Mom's Village Plaza #5 • St. Ann, Jamaica

## Worlds First Shower Seat for Baby!

SAFE • EASY • FAST

**USA Patent Pending**

Meets CPSC Safety Requirements  
16 CFR 1303, CPSIA 104  
Certificate of Conformity pg. 10



# Features



**Safety Thigh Straps** – New safety design to prevent fall and injury. Baby cannot stand up or wiggle out of seat.

**Safety Waist Strap** – Adjustable to fit all Babies. Keeps baby securely inside the seat.

**Strong Aluminum frame** – light weight and strong. Seat is easy to lift and holds up to 30 lb baby.

**Steel Cables** – Hold up to 1000lbs of pressure. Cable will not break.

**Quick Drying Antibacterial Fabric** – Less than 5 minutes to dry. Seat is clean and ready for re-use quickly.




- ~Adult Assembly Required.
- ~Wall mounting bracket contains small parts and sharp points.
- ~Keep out of Baby's reach!

## How to Install and Use Baby Shower Seat



1. Bolt the Wall Bracket (Fig. 1), with the smooth side facing outward and bolted side against wall, onto the bathroom shower wall.

We recommend placing the wall bracket on the wall at a comfortable height for the adult user. This height will vary. For most Moms, the seat is easiest to use when baby is sitting at counter top level or 36 inches off the floor.




*Tips for bolting the bracket:* Find the stud behind the wall. Bolt at least 2 of the 4 screws into the stud. Use drywall anchors if you are not bolting into a stud. Use a drill with the proper drill bit for your wall (such as ceramic or fiberglass). Drilling and bolting in a grout line is easier.

2. Slide the Hook into the slot on the Wall Bracket (Fig 1).

3. Place the Seat Bracket onto the Hook (Fig. 3).

4. legs



Secure baby in the seat by sliding baby's legs through elastic Thigh Restraints (Fig. 4).

5. Buckle the safety strap around Baby's waist (Fig. 4).



# Maintenance

Please check the following before each use:


1. The side arm cables.
2. Rubber tubing.
3. Mesh side panels
4. Velcro straps.
5. Velcro seat closures and seams in fabric.
6. Do not use shower seat if any components are damaged.

Cleaning:

1. Machine wash fabric cover on delicate cycle with no bleach.
2. Wipe frame and mesh side panels with a damp cloth and mild soap.
3. Put fabric cover back on frame to air dry.

If you need more help, go to [WashThatBaby.com](http://WashThatBaby.com) to watch video of me installing the Baby Shower Seat. Or contact Wash That Baby! at 972-408-8608.





## **WARNING**

### **NOT A SAFETY DEVICE**

Babies have **DROWNED** while using bath seats. **ALWAYS** keep baby within adult's reach. **STOP** using when baby begins pulling to a standing position.

### **PREVENT DROWNING**

~Babies can drown in as little as 1 inch of water. **ALWAYS** bathe your infant in as little as water as necessary.

~Babies can drown even when other children are in or near the bathtub.

**DO NOT** allow other children to substitute for an adult.



~Parent or Adult caregiver should always be present within arm's reach of the infant in the bath seat, regardless of the circumstances.

~NEVER leave child unattended.

~ALWAYS test the water temperature before washing baby. Temperature should be between 90 and 100°F.

~Discontinue use of product if damaged, broken, or disassembled.



**CERTIFICATION OF CONFORMITY  
FOR  
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT**

---

July 3, 2013  
Page 10 of 11

**US IMPORTER/DOMESTIC MANUFACTURER**

WASH THAT BABY!  
PO BOX 655  
MCCAMEY, TX 79752  
UNITED STATES

Tel. No.: 972-408-8608

**PERSON MAINTAINING RECORDS**

WASH THAT BABY!  
PO BOX 655  
MCCAMEY, TX 79752  
UNITED STATES

E-mail: uptonatty@hotmail.com  
Tel. No.: 972-408-8608

**Sample Description:** SHOWER SEAT FOR INFANT  
Manufacturer: WASH THAT BABY!  
Place of Manufacture: RUNAWAY BAY,  
JAMAICA  
Date of Manufacture: 12/1/12

Style No(s).: /  
Country of JAMAICA  
Origin:  
Place of Testing: Bureau Veritas  
Consumer Products  
Services, Inc.  
100 Northpointe Pkwy.  
Buffalo, NY 14228  
Tel: 716-505-3300  
Date of Testing: July 3, 2013

Reference No.: (5113)168-0101

I (we) hereby certify that the component / product contained within this shipment complies with the following applicable rules, bans, regulations and standards enforced by the CPSC based on testing.

The following rules, bans, standards and regulations were tested for this product:

CPSC PRODUCT CATEGORY	TEST DESCRIPTION	Law/ Act	Federal Regulations Title 16 CFR Part No. / Section No.
Lead paint on Children's Products	CPSIA Total lead content in surface coating - comp	CPSIA	16 CFR 1303
Bath seats	Special Handling – Bath seats (16 CFR 1215)	FHSA	16 CFR 1215 (Federal Register)
Durable infant products	CPSIA Consumer registration	CPSIA	CPSIA section 104

Note: CPSA – Consumer Product Safety Act  
FHSA – Federal Hazardous Substances Act  
CPSIA – Consumer Product Safety Improvement Act  
FFA – Flammable Fabrics Act



**Wash That Baby!**

**Info@washthatbaby.com**

**www.WashThatBaby.com**

**Phone (972)408-8608 • PO Box 586 • McCamey TX 79752**

**Phone (876)468-9150 • Mom's Village Plaza #5 • St. Ann, Jamaica**

**JamaicAmerican Product  
One Love. One Economy.**



**Creating Jobs!**